

## Meridian Provisions

Track Change of provisions supported by Meridian shown relative to provisions in Appendix 1 of evidence of Jane Whyte

Differences are shown in bold and highlighted text

### Policy 26 – Renewable energy

Recognise and provide for:

1. the national and regional significance of renewable electricity generation activities including the practical constraints associated with its development, operation, maintenance and upgrading and the benefits of renewable electricity generation activities; and

2. the national and regional significance **and including the benefits** of renewable electricity generation activities (including the existing Manapōuri hydro-electric generation scheme in the Waiau catchment), ~~the national, regional and local benefits of renewable electricity generation activities, the need to locate the generation activity where the renewable energy resource is available,~~ **and including** the practical constraints associated with its development, operation, maintenance and upgrading, when:

- a. allocating surface water for abstraction, damming, diversion and use; and
- b. considering all resource consent applications for surface water abstractions, damming, diversion and use; **uses of land, use of the beds of lakes and rivers and new or increased discharge of contaminants or water to water or land that may affect the operation of the Manapouri hydro-electric generation scheme.**

### Rule 52A – Manapōuri Hydro-electric Generation Scheme

(a) Despite any other rules in this Plan, **an application for a new consent for an activity described in the following consents that form any activity that is part of the Manapōuri hydro-electric generation scheme, for which consent is held and which is the subject of an application for a new consent for the same activity and is:**

- ~~(i) the taking or use of water; or~~
- ~~(ii) the discharge of water into water or onto or into land; or~~
- ~~(iii) the discharge of contaminants into water or onto or into land; or~~
- ~~(iv) the damming or diversion of water;~~
- (i) 96020 Water Permit**
- (ii) 96021 Discharge Permit**
- (iii) 96022 Water Permit**
- (iv) 96023 Discharge Permit**
- (v) 96024 Water Permit**
- (vi) 206156 Water Permit**
- (vii) 206157 Water Permit**

is a ~~controlled~~ restricted discretionary activity provided the following conditions are met:

- (1) the application is for the replacement of an expiring resource consent pursuant to section 124 of the Act;
- (2) where the replacement consent is for the taking or use of water, the rate of take and volume is not increasing, and the use of water is not changing; and

- (3) the application is lodged after a take limit regime has been established through a FMU process for the Waiau FMU under the NPSFM 2020
- ~~(3) where the replacement consent is for the taking or use of water, the rate of take and volume complies with any relevant flow and level regimes set out in this Plan.~~
- (4) the application complies with relevant environmental flows and levels and/or take limit regimes that have been established through an FMU process for the Waiau FMU under the NPSFM 2020; and
- (5) the applicant has requested that the application be publicly notified.

**The Southland Regional Council will ~~reserve its control~~ restrict its discretion to the following matters:**

- ~~1. the volume and rate of water taken, used, diverted or discharged and the timing of any take, diversion or discharge, including how this relates to generation output;~~
- ~~2. any effects on river flows, wetland and lake water levels, aquatic ecosystems and water quality;~~
- 1. mitigation or remediation measures to address adverse effects and any seasonal effects on: the customary use of mahinga kai and nohoanga; taonga species; and the spiritual and cultural values and beliefs of tangata whenua; and
- ~~3. mitigation or remediation measures to address adverse effects on the environment other than those identified in clause 1; and~~
- 3. the collection, recording, monitoring, reporting and provision of information concerning the exercise of consent; and
- 4. lapse period, duration of consent and consent review requirements; and
- ~~4.5. the benefits of renewable electricity generation.~~

In exercising its discretion to address adverse effects on the environment the Southland Regional Council may not require:

- (i) take limits, environmental flows and level limits that are more limiting for the consent holder than those set in the Plan for the Waiau FMU in accordance with the NPSFM 2020; and
- (ii) water quality standards or limits that are more limiting for the consent holder than those specified in the Plan for the Waiau FMU.

~~An application for resource consent under Rule 52A(a) will be publicly notified.~~

- (b) Despite any other rules in this Plan, any activity **provided for in Rule 52A that is part of the Manapōuri hydro-electric generation scheme for which consent is held and which is the subject of an application for a new consent for the same activity and is:**
  - ~~(i) the taking or use of water; or~~
  - ~~(ii) the discharge of water into water or onto or into land; or~~
  - ~~(iii) the discharge of contaminants into water or onto or into land; or~~
  - ~~(iv) the damming or diversion of water;~~**that is not a permitted, controlled or restricted discretionary activity under any other rules in this Plan, or is not a restricted discretionary or non-complying activity in Rule 52A(c) or does not meet one or more of the conditions of Rule 52A(a) or is not a non-complying activity in Rule 52A(c) is a discretionary activity.**

- (c) Despite any other rules in this Plan, any activity that is for the taking of water for the generation of electricity from Manapōuri hydro-electric generation scheme in Rule 52A which:
- (i) prior to a take limit regime being established through a FMU process for the Waiau FMU under the NPSFM 2020 seeks a quantity of water greater than that currently consented or
  - (ii) once a take limit regime has been established through a FMU process for the Waiau FMU seeks a quantity of water greater than provided within the take limit regime  
is a non-complying activity.

## **Appendix E**

### **Appendix E – Receiving Water Quality Standards**

These standards apply to the effects of discharges following reasonable mixing with the receiving waters, unless otherwise stated. They do not apply to waters within artificial storage ponds such as effluent storage ponds or stock water reservoirs or to temporarily ponded rainfall.

The standard for a given parameter will not apply in a lake, river, artificial watercourse or modified watercourse or natural wetland where:

- (a) due to natural causes, that parameter cannot meet the standard; or
- (b) due to the effects of the operation an ancillary activity associated with the maintenance of the Manapōuri hydro-electric generation scheme that alters natural flows is proposed. This exception only applies where the activity requires a resource consent pursuant to a rule in this plan and will **only not** result in a **permanent temporary** change in the state of the water., that parameter cannot meet the standard. Nothing in this exception precludes consideration of the effects of the proposed activity on water quality through a resource consent process.